



EUROPLAST
uPVC Windows & Doors



TRENDSETTERS

...
IN THE WORLD OF WINDOWS

UPVC WINDOWS

Product Catalogue

15 YEARS
EXPERIENCE



EUROPLAST uPVC Door and Window has evolved over the years to meet all customer need. Our dedication to provide high quality service both to end users and promoters, our hard work and perseverance helped us grow and expand over a short period of time.

We have a strong sales force backed by design and costing engineers ready to respond to all inquires and services need by customers

The company also employs experienced supervisors, technical team and administrative that committed work force to ensure reliable and consistent quality products manufactured in fully equipped factory.

uPVC Door and Window is very economical, its competitive pricing and maintenance free product assure better savings.

With more than decades of experiences in this field, Mozart (Europlast) Windows continues to build upon our guiding principles to ensure that our customers receive the highest standards and quality for their new home.



HAPPY
WINDOWS
FOR
HAPPY
YOU...





INDEX

WHY UPVC	Page 01-02
HOW WE WORK	Page 03-04
ADVANTAGES	Page 05-06
STYLES AND COLOURS	Page 07
DESIGNS OF DOORS & WINDOWS	Page 08
CASEMENT WINDOWS	Page 09
SLIDING WINDOWS	Page 10
CHOICE OF GLASS	Page 11-12
HARDWARE	Page 13-14
MESH	Page 15-16
PROJECTS	Page 17-18
CERTIFICATES	Page 19-20
CLIENTS	Page 21
FREQUENTLY ASKED QUESTIONS?	Page 22

BLOC SUPPORT
POUR VENTILATION ET CLIMATISATION
6000



GRASSE STRUCTURE
ALUMINIUM ET VERRE

FINITION FAÇADE
BETON BLANC

480

5100

750

Revetement de sol
Peinture blanche. 2e et 4e.





Long-Lasting
Strength



Energy-Efficient



Healthier Indoor
Air Quality



Safe & Secure



Lead-Free



Weather Proof

MILLION INSTALLATIONS



EXPERIENCE OF 3 MILLION PLUS INSTALLATION ENERGY EFFICIENT WINDOWS

ENVIRONMENTALLY FRIENDLINESS OF UPVC WINDOWS

- Easy to recycle
- It is a lead-free
- Energy saving in production and in building insulation
- Harmless to humans

DESIGN BENEFITS OF UPVC WINDOWS

- Appealing visual aesthetic.
- Prominent colour option
- Suited for new and retrofit solutions
- Minimal maintainence

PROPERTIES OF UPVC WINDOWS

- Moulded Multi-chamber profile makes the frame and sash rigid.
- Excellent sound insulation, especially in the growing urban regions
- Perfect thermal insulation
- Fire resistant / Self extinguishing
- Uv Protected / Stable
- Durable and Long Lasting

FUNCTIONAL VALUE OF UPVC WINDOWS

- Designed specifically for Double glazing.
- Increase the value of your home
- Resistant to dust and easy to clean
- Resistant to pests and won't rot, rust or corrode
- Durability and resistance against intruders



Happy
Windows
Just a call away

Call 1800 103 5350





CREDENTIALS NEEDED BY THE CUSTOMERS

We always prefer to schedule an appointment, to resolve the queries from assorted sources.

THE IDEAL QUICK FIX

For the acknowledgement of requisites & brand elucidation, the clients are visited.



SCRUTINY & CREATION

After estimating the dimensions at the respective location, the respective extents are finalized by engineers & with the respective client's consent the window production is processed.

CONVEYANCE & APPLIANCE

The windows are delivered & installed within a precise time.



SCOURING AND HANDOVER

Windows are scoured & handover to the client by installer team.

CUSTOMER SATISFACTION & APPEASEMENT

Europlast ensures the best & fine quality with its work that enhances the trust & contentment of customer towards us.





EUROPLAST
UPVC Windows & Doors


ADVANTAGES

FLOWLESS VIEW
EASY TO CLEAN
GEOMETRIC PERFECTION





SEAMLESS WELDING



**SEAMLESS WELDING
WITH GERMAN
TECHNOLOGY.
FIRST TIME IN INDIA**



Variety of options to choose from



FIXED PANE

The Glazing is inserted directly into the frame-there is no sash that could be opened.



TOP HUNG

The sash is to be opened outwards hinged from the Bottom.



SIDE HUNG

The Sash to be opened side hung outward & hinge on side.



MONO, DUP & MULTI SLIDER

One sash can be slid to the side to open the window. The other is a fixed pane.



SIDE HUNG

The window can be tilted inwards only.



TURN & TILT

The window can be opened to the inside and it can be tilted. This is a dual function opening type.



SLIDE & FOLD DOOR

The door can give 80% opening space.



COMBINATION WINDOW

Combination window can be design as per your choice.



Gray



Golden Oak



Dark Oak




Walnut



Wood Grain

DESIGNS OF DOORS & WINDOWS





SLIDING WINDOWS



MULTI CHAMBERED

Impact strength and durability of the windows are ensured with a number of multi-chambered sections.



STEEL REINFORCEMENT - RED COLOUR

Hot dip galvanized to 125 GSM and corrosion free, the steel reinforcement adds strength to the windows.



WEATHER SEAL

Helps to provide a water tight seal and also provides a wind and draught tight seal.



SLIDING ROLLER

The windows come equipped with slider rollers that ensure smooth manoeuvrability as well as durability.



DRAIN HOLES

It prevents water spilling inside by providing separate drainage chambers to drain out the water





CLEAR GLASS

Standard clear Glass or Float Glass has a slight green tint to the body of the glass and a very dark green edge detail while Extra Clear Glass or 3 Starphire has very little tint to the body of the glass appearing almost completely transparent, the glass edge has a very slight crystal blue/green tint.

FROSTED GLASS

Frosted glass is produced by the sandblasting or acid etching of clear sheet glass. This creates a pitted surface on one side of the glass pane and has the effect of rendering the glass translucent by scattering the light which passes through, thus blurring images while still transmitting light.



LAMINATED GLASS

Laminated glass is a type of safety glass that holds together when shattered. The interlayer keeps the layers of glass bonded even when broken, and its high strength prevents the glass from breaking up into large sharp pieces

TEMPERED GLASS

Tempered or toughened glass is a type of safety glass processed by controlled thermal or chemical treatments to increase its strength compared with normal glass. Tempering puts the outer surfaces into compression and the interior into tension.



DOUBLE GLAZE GLASS

Double-paned windows have two sheets of glass in a window frame instead of just one. Between the glass panes is a small space to provide insulation. The small space between window panes is filled with insulating gas to further increase insulation.

REFLECTIVE GLASS

Reflective glass is clear or tinted glass that has a very thin layer of metal or metallic oxide on the surface. The reflective coating is applied during the float process. The reflective coating reduces heat gain and glare from the outside while allowing visible light to enter. Note : All tinted glass and Reflective glass are also available in Toughened process, Double Glazing Process, Laminated Process.



Espagnolette For Casement Door

Doorset



Premium door handle



L-hinge



Double Side Handle
For Casement



Gasket



Wool Pile / Weather Strip



Mesh Handle



Touch Lock



Casement handle without key



"D" Handle



Pop up Handle



3D Door Hinge



"C" Handle



Casement Handle With Key



Ideal Handle With Knob For Bathroom, Balcony Etc.



**MESH
OPTIONS**

SLIDING MESH



PULL DOWN MESH



Insect free
Windows & Doors

*New
Arrivals*

These options are available

Corner Combing Plisse Mesh

Honey Comb Mesh







AUTHORISED DISTRIBUTOR CERTIFICATE



THIS IS TO CERTIFY THAT

M/S. MOZART IMPEX PVT. LTD.

IS OUR EXCLUSIVE DISTRIBUTOR FOR
UPVC DOOR AND WINDOWS HARDWARE FOR INDIA & ASIA REGION

27-12-2019

DATE



AKPEN PLASTIK PENCERRE
AKPEN PLASTIK PENCERRE

SIGNATURE



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

An ISO - 9001:2008 Certified Institute

TEST CERTIFICATE

000346672

Issued to :
 MOZART IMPEX PVT. LTD,
 908, RITHALA INDUSTRIAL AREA,
 DELHI - 110085

J.O.No. 410-141-3222
Reg.No. 1366142
Date 07-11-2014
 GC-01 (REV-04)
Your Ref.No. -

**Kind Attn: MR. GURMUKH SINGH , REGIONAL SALES
 MGR**

Sample Particulars :


Date 29.10.2014

One sample described UPVC profile brand name: Mozart marked as MOZ S-12, was received.
 "The sampling was not carried out by Shriram Institute for Industrial Research. The sample details provided in the test certificate are based on declaration by the party".

TEST RESULTS

S.No.	Tests	Results	Protocol/method used
1.	Density, g/cc (At 27°C)	1.55	As per guidelines of ASTM D 792
2.	Hardness Shore D	87	As per guidelines of ASTM D 2240
3.	Thermal Conductivity, W/mk	0.10	As per guidelines of ISO:22007 Part-2
4.	Behaviour of after heat ageing (At 150°C for 30±3 minutes)	No visual change is observed	By visual Observation
5.	Heat reversion,%	1.2	As per guidelines of IS:4985-2000
6.	Resistance to impact by falling mass (500gm weight & 750 mm height)	Sample shows no defects such as cracking tearing or delamination. There is no indentation of ball into the surface of sample.	As per guidelines of IS:4020-1998

D.O.R.: 29.10.2014
 D.O.C.: 06.11.2014



AUTHORISED SIGNATORY
 (EMPLOYEE CODE: 6094)



GULMOHAR GREENS



Golden Temple
Amritsar



Mercedes-Benz



FREQUENTLY ASKED QUESTIONS?



Do Europlast Windows and Doors carry a warranty?

Europlast frames and sashes carry 25 years warranty against discoloring. The hardware and mechanics carry a 5 years warranty.

Do my window / door require any maintenance or servicing?

Your window / door should be kept clean and free from the buildup of dirt. Oil hinges and cams annually to ensure a smooth effective opening.

What is the correct action to be taken when my windows or doors are damaged or not working?

Please contact to your installer for any mechanical or operational issues. Failing that, please contact Europlast windows directly.

I need a custom window / door solution for my home or building project, can you help me?

Europlast window offers flexible design with a multitude of options. We do however have a standard range and anything that falls outside that range is subject to a longer turn around time and a slight premium.

How can a 'plastic window' offer me what I can get from aluminum or wood?

Upvc frames and sashes were designed specifically to hold double glazing and are fitted with the finest parts and mechanisms available to the industry. Upvc will never corrode or discolour having been UV stabilised and are practically maintenance free. Further more a non-conductive Upvc frame and sash coupled with double glazing is extremely efficient in thermal control and is environmentally friendly saving energy whilst reducing your monthly expense. Reducing energy used to cool or heat a building reduces carbon emission thus having long term benefits. This insulation has vast run off benefits including sound insulation, minimising dust build up and minimising internal moisture build up.

Do all Upvc window & Door manufacturers use the same profile and parts?

No, Europlast Windows uses a combination of supply best sourced internationally. Europlast Upvc Door and Window is a world class product designed specifically for all Indian climates, They supply this product on a global scale and offer an extremely high quality. Seamless Welding of Door and Window part have been specifically designed to be used for good strength and looks.